

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A01N 25/04, 25/06, 53/00 // (A01N 53/00, 25:06, 25:04)		A1	(11) International Publication Number: WO 96/22686 (43) International Publication Date: 1 August 1996 (01.08.96)
(21) International Application Number: PCT/US96/00983 (22) International Filing Date: 24 January 1996 (24.01.96) (30) Priority Data: 08/379,247 27 January 1995 (27.01.95) US (71) Applicant: S.C. JOHNSON & SON, INC. [US/US]; 1525 Howe Street, Racine, WI 53403-2236 (US). (72) Inventor: NELSON, Kurt, D.; Apartment 3, 5608 Cambridge Lane, Racine, WI 53406 (US). (74) Agents: HOUSER, David, J. et al.; S.C. Johnson & Son, Inc., Patent Section, 1525 Howe Street, Racine, WI 53403-2236 (US).			(81) Designated States: AU, BR, CA, CN, JP, KR, MX, NZ, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: INSECTICIDALLY-ACTIVE COMPOSITION			
(57) Abstract An insecticidally-active composition that forms an oil-out emulsion of limited stability containing an aqueous phase and an oil phase. When this composition is sprayed onto a target surface, the aqueous phase separates out at least partially from the oil phase in the air or upon hitting a target surface. Accordingly, this composition does not leave unsightly milky residues. Moreover, it is highly effective in killing insects.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

INSECTICIDALLY-ACTIVE COMPOSITION BACKGROUND OF THE INVENTION

5

Field of the Invention

The present invention relates to an insecticidally-active composition that forms an oil-out emulsion of limited stability. This composition when sprayed onto a target surface does not leave unsightly milky residues. Moreover, it is highly effective in killing insects.

Description of the Background Art

Insecticidally-active compositions are generally sprayed from a container such as an aerosol container onto a target surface. For successful spraying that is uniform and evenly distributed, the composition must be homogeneous or nearly homogeneous. Traditionally, many insecticidally-active compositions have had a single homogeneous oil phase. However, such compositions usually have high flammability and contribute petroleum volatiles to the atmosphere.

20

To reduce the oil content, compositions were developed that form a stable homogeneous emulsion containing an aqueous phase and an oil phase, such as those disclosed in U.S. Patent Nos. 3,159,535 and 3,303,091. U.S. Patent No. 5,178,871 discloses a stable, double emulsion. However, when such compositions are sprayed onto a target surface, unsightly milky residues that characterize the appearance of an emulsion frequently are left on the surface, at least until the composition thoroughly dries.

25

Compositions have also been developed that form water-out (or oil-in-water) emulsions, in which the aqueous phase is the continuous phase and the oil phase is the embedded or discontinuous phase, such as those disclosed in U.S. Patent No. 4,822,613, 4,889,710, 4,923,897, and 5,094,853. However, such compositions

30

- 2 -

typically form a stable foam when they are sprayed onto a target surface.

Moreover, if the active ingredient is dissolved or dispersed in the aqueous phase, the active ingredient does not penetrate water repelling chitin insect surfaces effectively.

5

U.S. Patent No. 2,418,652 discloses a water-out emulsion to which a cationic emulsifier has been added, albeit in an amount less than an emulsifying amount.

The cationic material is believed to adjust the surface charge of the suspended oil globules of the water-out emulsion to increase their ability to adhere to a generally negatively charged leaf surface.

10

U.S. Patent No. 1,707,466 discloses a concentrated, stable oil emulsion that can be diluted with water to form a stable dispersion of oil in water. Although the dispersion is disclosed as stable over time while in its container, it is said to substantially break down upon contacting the target surface to coat plants or insect eggs with oil, combatting insect scale and killing the coated insect eggs. No insecticide is used other than the oil itself.

15

U.S. Patent No. 4,904,464 discloses an insecticide composition containing cocodiethanolamide that separates into distinct water and oil phases, which, upon agitation, form an unstable dispersion, as opposed to an oil-out emulsion, that separates upon dispensing immediately subsequent to agitation.

20

Summary of the Invention

25

The present inventors have discovered a novel insecticidally-active composition that does not leave unsightly milky stains when sprayed onto a target surface. The composition is also highly effective in killing a variety of insects, including roaches, ants, silverfish, crickets, and spiders.

30

- 3 -

In one embodiment, the present invention provides an insecticidally-active composition that forms an oil-out emulsion of limited stability, comprising:

an aqueous phase comprising water;

an oil phase comprising a hydrocarbon solvent and at least one
5 active ingredient; and

an amount of a surfactant effective to form a non-foaming oil-out emulsion of limited stability; whereby when the emulsion is first formed within and then sprayed from a container, the aqueous phase separates out at least partially from the oil phase in the air or upon hitting a target surface.

10

Detailed Description of the Invention

The insecticidally-active composition of the present invention includes an aqueous
15 phase and an oil phase. An insecticidally-active ingredient that is oil soluble and substantially water insoluble is dissolved in the oil phase.

The insecticidally-active composition of the invention forms an oil-out emulsion of limited stability. An emulsion made in accordance with the invention shall be
20 considered to be of limited stability if it is visually apparent that it at least begins to separate within fifteen seconds of the cessation of brisk manual shaking in a bottle or other closed container.

An oil-out emulsion having oil and aqueous phases (or, as an equivalent term, a
25 water-in-oil emulsion) is a type of emulsion in which the oil phase is the continuous phase and the aqueous phase is the embedded or discontinuous phase. Because the oil-out emulsion of this invention has limited stability, the aqueous phase and the oil phase of the composition usually separate during storage, at least partially.

30

- 4 -

When the two phases of the insecticidally-active composition of the invention are mixed together, for example, by shaking or agitating a container containing the composition, an oil-out emulsion is formed that is substantially foam-free but that also is homogeneous or nearly homogeneous. When this emulsion is sprayed from the container, the aqueous phase separates out from the oil phase at least partially and preferably completely, while the emulsion is still traveling through the air or promptly upon its hitting a target surface. Typically, the aqueous phase separates out within about 10 seconds after the emulsion is sprayed. Preferably, the aqueous phase separates out within about 5 seconds, and most preferably, the aqueous phase separates out immediately after the emulsion is sprayed. As a result, no unsightly milky residue that characterizes the appearance of an emulsion is left on the target surface.

Many insects have a exoskeleton made mainly of chitin, which has a water repellent surface. Water easily sheds from chitin surfaces without much penetration into the pores of the insect surfaces. In the present invention, the aqueous phase separates out from the oil phase and runs off, leaving the oil phase and its dissolved insecticidally-active ingredient on the insect surface. The oil phase wets the surface, with the result that the insecticidally-active ingredient carried in the oil phase more effectively penetrates the surface pores. Consequently, the composition of this invention is highly effective in killing insects.

Preferably a surfactant is present in the composition in an amount that is effective to provide an oil-out emulsion of limited stability. If the amount of the surfactant present is excessive, the emulsion may become too stable and take on an excessively milky appearance. That is, the aqueous phase and the oil phase will not separate sufficiently after spraying. If the amount of the surfactant present is insufficient, the composition may not form an emulsion, at all. Typically, the amount of surfactant present is from about 0.03% to about 0.10%, preferably from

- 5 -

about 0.05% to about 0.10% by weight, based on the total weight of the composition.

Non-ionic, anionic, and cationic surfactants can all be used in the composition of this invention so long as the surfactant can cause the formation of an oil-out emulsion by manual shaking of the composition in a bottle or can. Preferably, the surfactant has a hydrophilic/lipophilic balance (hereafter referred to as an "HLB") of between about 3 and about 9. If the surfactant has an HLB greater than about 9, a water-out emulsion could form upon shaking, instead of an oil-out emulsion. If the surfactant has an HLB less than about 3, it becomes difficult to form an emulsion in-situ by shaking the container holding the composition.

Non-ionic surfactants are the preferred surfactants used in the composition of the present invention because they generally exhibit low toxicity to humans and non-target animals and are non-corrosive. Cationic surfactants tend to be corrosive to the commercially common metal containers typically used to contain insecticidal sprays. Anionic surfactants may cause nasal irritation if breathed and may also cause the formation of foam.

Examples of suitable non-ionic surfactants include long chain fatty acid esters of polyhydroxylic compounds such as glycol, glycerol, and sorbitol esters of oleic, stearic, palmitic, and lauric acids; polyethoxylated fatty alcohols having 2 to 9 ethylene oxide units; and polyethoxylated nonyl phenols having 2 to 9 ethylene oxide units.

The preferred non-ionic surfactants are sorbitan monooleate, sorbitan monostearate, and sorbitan monopalmitate, which are commercially available as Span® 80, Span® 60, and Span® 40, respectively, from ICI Specialty Chemicals. The most preferred non-ionic surfactant for the composition of this invention is sorbitan monooleate.

- 6 -

The oil phase of the composition of this invention contains a hydrocarbon solvent. The amount of the solvent present in the composition should be effective to dissolve the active ingredient and form an oil-out emulsion. Typically, the hydrocarbon solvent is present in the composition in an amount of from about 0.5% to about 40% and preferably from about 5% to about 30% by weight, based on the total weight of the composition.

Examples of suitable hydrocarbon solvents include aliphatic, aromatic, and naphthenic solvents, and mixtures thereof. Examples of suitable aliphatic hydrocarbons include isoparaffinic and normal paraffinic solvents such as those commercially available from Exxon Chemicals of Houston, Texas under the ISOPAR® and NORPAR® brand names. Examples of suitable aromatic solvents include benzene, toluene, and xylene. Examples of suitable naphthenic solvents include dearomatized aliphatics and isoparaffins containing naphthenic groups. Naphthenic solvents are usually commercially available as mixtures of naphthenic, normal paraffinic, and/or isoparaffinic solvents. Examples of suitable naphthenic solvents that are commercially available include EXXSOL® D-40, D-60, D-80, D-110, and D-130 from Exxon Chemicals, Houston, Texas. A preferred hydrocarbon solvent for use in the present invention is a mixture of naphthenic and normal paraffinic solvents, commercially available as EXXSOL® D-60.

A co-solvent that is soluble in both the aqueous phase and the oil phase may also be added to the composition of this invention. The co-solvent aids in the solubilization of the insecticidally active ingredient in the oil phase and also accelerates the breaking of the emulsion. Typically, the amount of the co-solvent present is from about 1% to about 5% by weight, based on the total weight of the composition. If the amount exceeds about 5%, an emulsion may not form. Examples of suitable co-solvents include alcohols such as methanol, ethanol, propanol, and isopropanol.

30

- 7 -

As disclosed, above, the composition of the present invention contains at least one insecticidally-active ingredient in an amount effective to provide insecticidal activity. Any conventional active ingredient that is water-insoluble and hydrocarbon solvent-soluble can be used. Examples of suitable active ingredients include but are not limited to natural pyrethrins, synthetic pyrethroids such as permethrin, cypermethrin, deltamethrin, alphamethrin, cyphenothrin, fenvalerate, allethrin, tetramethrin, resmethrin, bioresmethrin, d-trans-allethrin, and phenothrin, halogenated pyrethroids, and cyano-pyrethroids. Typically, the active ingredient is present in the composition of the present invention in an amount of from about 0.20% to about 2% and preferably from about 0.10% to about 1% by weight, based on the total weight of the composition. A synergist for the active ingredient may also be included in the composition of this invention in conventional amounts. Examples of suitable synergists include piperonyl butoxide and N-octyl bicycloheptene dicarboximide.

The water forming the aqueous phase of the composition of the invention should be present in an amount effective to form an oil-out emulsion of limited stability and to facilitate spraying. When the composition is sprayed from a container, the water functions as a filler to add bulk to the sprayed product. Typically, water is present in the composition in an amount of from about 30% to about 70% and preferably from about 40% to about 70% by weight, based on the total weight of the composition.

The insecticidally-active composition of the present invention may be combined with a suitable propellant to form an aerosol formulation. Examples of suitable propellants include compressed gas propellants such as nitrogen, carbon dioxide, and nitrous oxide; liquefied gas propellants such as fluorinated and chlorinated hydrocarbons, dimethyl ether, vinyl chloride; saturated hydrocarbons such as propane, butane, isobutane, isopentane, and mixtures thereof; and mixtures of liquefied gases and compressed gases. In order to reduce environmental pollution, it is preferred to employ as the propellant liquefied saturated hydrocarbons.

- 8 -

Typically, the hydrocarbon propellant is present in the composition of this invention in an amount of from about 8% to about 50% and preferably from about 5% to about 30% by weight, based on the total weight of the composition.

- 5 Other ingredients that may form a part of the composition of the present invention include fragrance in conventional amounts to mask the unpleasant odor of the active ingredients and corrosion inhibitors such as sodium nitrite, sodium benzoate, and mixtures thereof in conventional amounts to inhibit corrosion of the metal containers in which the composition is usually contained.

10

The present invention will now be illustrated with the following non-limiting Example.

EXAMPLE

15

An insecticidally-active composition that can form an oil-out emulsion of limited stability was prepared with the following ingredients.

<u>Ingredients</u>	<u>Percent By Weight</u>
Pyrethrin 20%	1.000
Permethrin 90%	0.222
Piperonyl Butoxide	0.500
Sorbitan Monooleate	0.050
Fragrance	0.228
Isopropanol	1.000
EXXSOL® D-60	29.000
Sodium Nitrite	0.090
Water	59.910
Propellant A-91	8.000

- 20 Propellant A-91 is a conventional propellant containing 70% propane and 30% isobutane.

The composition was prepared by dissolving the pyrethrin 20%, permethrin 90%, piperonyl butoxide, sorbitan monooleate, fragrance, and isopropanol in EXXSOL®

- 9 -

D-60 to form a solvent intermediate. The sodium nitrite was dissolved in water to form a water intermediate. The water intermediate was then added to an aerosol container, followed by the solvent intermediate. A valve was then placed into the container and crimped. The container was then pressurized with propellant A-91.

5

The container was then shaken to form an oil-out emulsion of limited stability. Promptly thereafter, the composition was sprayed from the container onto a target surface. It was observed that when the spray hit the target surface, the aqueous phase separated out from the oil phase almost immediately. As a result, no unsightly milky stains were left on the target surface.

10

While the present invention has been described with respect to what is presently considered to be the preferred embodiments, it is to be understood that the invention is not limited to the disclosed embodiments. On the contrary, the invention is intended to cover various modifications and equivalent formulations included within the spirit and scope of the appended claims. The scope of the following claims is to be accorded the broadest interpretation so as to encompass all such modifications and equivalent formulations and functions.

15

20

Industrial Applicability

Sprayable insecticidal compositions have immediate usefulness in the control of insect pests. The insecticidally-active composition of the invention has the further industrially desirable application of providing a composition having reduced concentration of petroleum volatiles while still being both convenient for spraying by conventional means and an effective killer of insects sprayed.

25

Claims:

1. An insecticidally-active composition that forms an oil-out emulsion of limited stability, comprising:
 - an aqueous phase comprising water;
 - an oil phase comprising a hydrocarbon solvent and at least one insecticidally active ingredient; and
 - an amount of a surfactant effective to form a non-foaming oil-out emulsion of limited stability; whereby when the emulsion formed within and then sprayed from a container, the aqueous phase separates out at least partially from the oil phase in the air or upon hitting a target surface.
2. The insecticidally-active composition according to Claim 1, wherein said surfactant is present in an amount of from about 0.03% to about 0.10% by weight, based on the total weight of the composition.
3. The insecticidally-active composition according to Claim 2, wherein said surfactant is present in an amount of from about 0.05% to about 0.10%.
4. The insecticidally-active composition according to Claim 1, wherein said surfactant has an HLB of between about 3 and about 9.
5. The insecticidally-active composition according to Claim 4, wherein said surfactant is selected from non-ionic, anionic, and cationic surfactants.
6. The insecticidally-active composition according to Claim 5, wherein said surfactant is a non-ionic surfactant.
7. The insecticidally-active composition according to Claim 6, wherein said surfactant is selected from the group consisting of glycol, glycerol, and sorbitol esters of oleic, stearic, palmitic, and lauric acids, polyethoxylated fatty alcohols

- 11 -

having 2 to 9 ethylene oxide units, and polyethoxylated nonyl phenols having 2 to 9 ethylene oxide units.

8. The insecticidally-active composition according to Claim 6, wherein said surfactant is selected from the group consisting of sorbitan monooleate, sorbitan monostearate, and sorbitan monopalmitate.

9. The insecticidally-active composition according to Claim 1, wherein said hydrocarbon solvent is selected from the group consisting of aliphatic, aromatic, and naphthenic solvents, and mixtures thereof.

10. The insecticidally-active composition according to Claim 1, wherein said composition further comprises a co-solvent.

11. The insecticidally-active composition according to Claim 10, wherein said co-solvent is an alcohol.

12. The insecticidally-active composition according to Claim 1, wherein said active ingredient is selected from the group consisting of natural pyrethrins, synthetic pyrethroids, halogenated pyrethroids, and cyano-pyrethroids.

13. The insecticidally-active composition according to Claim 1, further comprising a synergist for said active ingredient.

14. The insecticidally-active composition according to Claim 13, wherein said synergist is selected from the group consisting of piperonyl butoxide and N-octyl bicycloheptene dicarboximide.

15. The insecticidally-active composition according to Claim 1, further comprising a propellant.

- 12 -

16. The insecticidally-active composition according to Claim 15, wherein said propellant is selected from the group consisting of liquefied saturated hydrocarbons and mixtures thereof.
17. The insecticidally-active composition according to Claim 1, wherein said composition further comprises a fragrance.
18. The insecticidally-active composition according to Claim 1, wherein said composition further comprises a corrosion inhibitor.
19. The insecticidally-active composition according to Claim 18, wherein said corrosion inhibitor is selected from the group consisting of sodium nitrite, sodium benzoate, and mixtures thereof.

INTERNATIONAL SEARCH REPORT

International Application No

PC, US 96/00983

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A01N25/04 A01N25/06 A01N53/00 //(A01N53/00,25:06,25:04)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Section Ch, Week 8939 Derwent Publications Ltd., London, GB; Class C03, AN 89-280837 XP002006378 & JP,A,01 203 302 (FUMAKILA KK) , 16 August 1989 see abstract	1-6,9
Y	---	7,8, 10-19
	-/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

21 June 1996

Date of mailing of the international search report

01.07.96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Lamers, W

INTERNATIONAL SEARCH REPORT

International Application No

PC/US 96/00983

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>DATABASE WPI Section Ch, Week 7707 Derwent Publications Ltd., London, GB; Class C03, AN 77-12116Y XP002006379 & JP,A,52 001 031 (TOYO AELOSOL IND KK) , 6 January 1977 see abstract</p> <p>---</p>	7,8, 10-16
X	<p>US,A,4 826 674 (ALBANESE JAMES J) 2 May 1989</p> <p>see column 3, line 4 - line 18 see column 8, line 3 - line 18 see column 8, line 40 - column 9, line 23 see column 13, line 37 - line 52 & US,A,4 904 464 cited in the application</p> <p>---</p>	1-3,5,6, 9,10, 12-16
Y	<p>US,A,1 707 466 (W.H.VOLCK) 2 April 1929 cited in the application see the whole document</p> <p>---</p>	1-19
Y	<p>DATABASE WPI Section Ch, Week 9506 Derwent Publications Ltd., London, GB; Class A97, AN 95-041122 XP002006380 & JP,A,06 321 703 (EARTH SEIYAKU KK) , 22 November 1994 see abstract</p> <p>---</p>	1-19
Y	<p>EP,A,0 069 906 (BAYER AG) 19 January 1983 see the whole document</p> <p>---</p>	1-17
Y	<p>WO,A,93 00007 (JOHNSON & SON INC S C) 7 January 1993 see page 12, line 5-8</p> <p>---</p>	18,19
A	<p>US,A,2 162 904 (J.R.ALLISON) 20 June 1939 see page 2, column 2, line 73 - page 3, column 1, line 3</p> <p>---</p>	1-19
A	<p>US,A,3 303 091 (N.G.MAILANDER ET AL.) 7 February 1967 cited in the application see the whole document</p> <p>---</p>	1-19
A	<p>EP,A,0 272 374 (JOHNSON & SON INC S C) 29 June 1988 see the whole document</p> <p>---</p>	1-19
	<p>---</p> <p>-/--</p>	

2

INTERNATIONAL SEARCH REPORT

International Application No

PC1/US 96/00983

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP,A,0 059 027 (RECKITT & COLMANN PROD LTD) 1 September 1982 see page 3, line 14 - line 16 see page 3, line 22 - line 36 -----</p>	1-19

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 96/00983

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4826674	02-05-89	US-A- 4904464	27-02-90
US-A-1707466	02-04-29	NONE	
EP-A-0069906	19-01-83	DE-A- 3127061	27-01-83
		AU-B- 8576582	13-01-83
		CA-A- 1174967	25-09-84
		JP-A- 58015901	29-01-83
		OA-A- 7147	31-03-84
WO-A-9300007	07-01-93	US-A- 5178871	12-01-93
		AU-B- 656013	19-01-95
		AU-B- 2249492	25-01-93
		BR-A- 9206202	13-12-94
		CA-A- 2112371	07-01-93
		EP-A- 0592535	20-04-94
		JP-T- 6508552	29-09-94
US-A-2162904	20-06-39	NONE	
US-A-3303091	07-02-67	NONE	
EP-A-0272374	29-06-88	US-A- 4822614	18-04-89
		US-A- 4923698	08-05-90
EP-A-0059027	01-09-82	US-A- 4443242	17-04-84